# **OSRAM**

# **ORIGINAL LINE**

### Original spare part





#### The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

#### Technical data

|                     | Product information                         | General Product<br>Information | Electrical         | Electrical Data |                    |  |
|---------------------|---|--------------------------------|--------------------|-----------------|--------------------|--|
| Product description | Application (Category and Product specific) | Global order reference         | Power input        | Nominal voltage | Nominal<br>wattage |  |
| ORIGINAL LINE S1    | Halogen headlight<br>lamp                   | 64326                          | 40 W <sup>1)</sup> | 12 V            | 25/25 W            |  |
| ORIGINAL LINE S2    | Halogen headlight<br>lamp                   | 64327                          | 40 W <sup>1)</sup> | 12 V            | 35/35 W            |  |
| ORIGINAL LINE HS1   | Halogen headlight<br>lamp                   | 64185                          | 36.8 /<br>36.8 W   | 12 V            | 35 W               |  |

|                     |              | Physical Attribute | Physical Attributes & Dimensions |          |  |  |
|---------------------|--------------|--------------------|----------------------------------|----------|--|--|
| Product description | Test voltage | Lamp base          | Length                           | Diameter |  |  |
| ORIGINAL LINE S1    | 13.2 V       | BA20d              | 67.0 mm                          | 15.0 mm  |  |  |
| ORIGINAL LINE S2    | 13.2 V       | BA20d              | 71.0 mm                          | 14.7 mm  |  |  |
| ORIGINAL LINE HS1   | 13.2 V       | PX43t              | 85.0 mm                          | 16.5 mm  |  |  |

|                     |          | Lifetime C                   | Oata (                        | Capabilities | Certificates<br>&<br>standards | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)   |
|---------------------|----------|------------------------------|-------------------------------|--------------|--------------------------------|--|
| Product description | Diameter | Lifespan<br>B3               | Lifespan<br>Tc                | Technology   | ECE<br>category                | Primary article identifier   |
| ORIGINAL LINE S1    | 15.0 mm  | 100 /<br>200 hr              | 200 /<br>400 hr               | HAL          | S1                             | 4050300942650  <br>4052899157774   |
| ORIGINAL LINE S2    | 14.7 mm  | 100 /<br>200 hr              | 180 /<br>400 hr               | HAL          | S2                             | 4052899136786  <br>4052899136755  <br>4052899929692  <br>4062172184670  <br>4008321183309  <br>4050300942629  <br>4052899593626  |
| ORIGINAL LINE HS1   | 16.5 mm  | 75 / 150<br>hr <sup>2)</sup> | 150 /<br>300 hr <sup>2)</sup> | HAL          | HS1                            | 4062172180771  <br>4008321508805  <br>4052899253575  <br>4052899418042  <br>4052899253513  <br>4052899408418  <br>4008321056740  <br>4008321056764  <br>4050300439969  <br>4062172395588 |

| Product description | Candidate list substance 1         | Declaration no. in SCIP database   |
|---------------------|------------------------------------|------------------------------------|
| ORIGINAL LINE S1    | No declarable substances contained | No declarable substances contained |
| ORIGINAL LINE S2    | No declarable substances contained | No declarable substances contained |
| ORIGINAL LINE HS1   | No declarable substances contained | No declarable substances contained |

<sup>1)</sup> Maximum

<sup>2)</sup> Filament 1

#### Download Data

|          | File   |
|----------|--|
| <b>*</b> | User instruction GPRS_Safety symbols instructions                    |
|          | ref_pim_amsp_product360degreeimages<br>ORIGINAL S1 64326             |
|          | ref_pim_amsp_product360degreeimages ORIGINAL MOTORCYCLE S2 64327     |
|          | ref_pim_amsp_product360degreeimages<br>ORIGINAL MOTORCYCLE HS1 64185 |

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















