Product family datasheet

## **OSRAM**

# **ORIGINAL - FESTOON**

Original spare part





#### The cost-effective original spare parts for motorcycles

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for motorcycle festoon lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

### Product family datasheet

#### Technical data

|                      | Product information                            | Product information General Product<br>Information |                   | Electrical Data                        |                 |                    |  |
|----------------------|--|--|-------------------|--|-----------------|--------------------|--|
| Product description  | Application (Category<br>and Product specific) | Global ord<br>reference                            | er                | Power<br>input                         | Nominal voltage | Nominal<br>wattage |  |
| ORIGINAL FESTOON C5W | Auxiliary lamp                                 | 6418   |                   | 5 W                                    | 12 V            | 5 W                |  |
|                      |  |  | Photomet          | metric Data Physical Attributes & Dime |                 | & Dimensions       |  |
| Product description  | Power input<br>tolerance                       | Test<br>voltage                                    | Nominal l<br>flux | uminous                                | Lamp base       | Length             |  |
| ORIGINAL FESTOON C5W | ±10 %  | 13.5 V   | 45 lm             |  | SV8.5-8         | 36.0 mm            |  |
|                      |  |  |                   | Lifetime                               | Data            | Capabilities       |  |

|                      |          |          | Lifetime Data |                | Capabilities |
|----------------------|----------|----------|---------------|----------------|--------------|
| Product description  | Diameter | Diameter | Lifespan B3   | Lifespan<br>Tc | Technology   |
| ORIGINAL FESTOON C5W | 11.0 mm  | 11.0 mm  | 1000 hr       | 2000 hr        | AUX          |

|                      | Certificates<br>&<br>standards | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006<br>(REACh)  |                                       |                                       |  |
|----------------------|--------------------------------|---|---------------------------------------|---------------------------------------|--|
| Product description  | ECE<br>category                | Primary article<br>identifier   | Candidate list<br>substance 1         | Declaration no. in<br>SCIP database   |  |
| ORIGINAL FESTOON C5W | C5W                            | 4062172413183  <br>4062172396165  <br>4062172396141  <br>4050300838397  <br>4008321532374  <br>4008321355386  <br>4050300925622  <br>4052899418950  <br>4008321007315 | No declarable<br>substances contained | No declarable<br>substances contained |  |

\_

### Product family datasheet

#### Download Data

|   | File   |
|---|--|
| * | User instruction<br>GPRS_Safety symbols instructions     |
| Ŀ | ref_pim_amsp_product360degreeimages<br>ORIGINAL C5W 6418 |

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.









