

Blacklight Blue UV-A




Product features and benefits

- Long-wave radiation: 300...400 nm
- Visible radiation is almost completely absorbed



May 2, 2025, 21:22:00 Blacklight Blue UV-A



BLACKLIGHT BLUE L 18W/73

BLACKLIGHT BLUE

Technical data

nformation		Photometric Data	Physical Attributes & Dimensions
Global order reference	Nominal wattage	Radiated power 315400 nm (UVA)	Lamp base
SUPRATEC 18 W/73	18 W	3.5 W	G13
Dperating L Conditions		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Burning position		•	Declaration no. in SCIP database
Any 2		4052899519527	4cf41eb8-0ed2- 4b84-866a- a58f90e067e0
	eference UPRATEC 18 W/73 Operating conditions urning position	eference Image: Constraint of the second s	eference 315400 nm (UVA) UPRATEC 18 W/73 18 W 3.5 W Operating conditions Lifetime Data Environmental & Regular Information according Ar Regulation (EC) 1907/20 turning position Nominal lifetime Primary article identifier any 2000 hr 4052899523517 4052899519527

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction
SUPRATEC 18 W/73	Lead	7439-92-1	The identification of
			the Candidate List
			substance is
			sufficient to allow
			safe use of the
			article.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.