

# COOL BLUE BOOST

Hyper white light for LED look for off-road use\*



**Hyper white light for stylish LED look**

For fatigue-free and comfortable driving



**Up to 5,500 K1)**

High contrast and most stylish look



**Zwiększona jasność**

Więcej światła pozwala widzieć więcej i reagować szybciej



**Hyper white light with up to 5,500 K for off-road use\***

COOL BLUE BOOST features hyper white halogen light for LED look and high color temperatures of up to 5,500 K. The lamps generate enhanced brightness. These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.1) Measured in headlamps.

## Karta katalogowa rodziny produktów

### Dane techniczne

Opis produktu	Informacje o produkcie			Dane elektryczne		
	Oznaczenie produktu	Zastosowanie (specyfikacja produktu)	Typ produktu (on-road lub off-road)	Moc wejściowa	Napięcie nominalne	Moc znamionowa
COOL BLUE BOOST $\pm$ H1	62150CBB	Halogenowe źródła światła	Off-road $\pm$ H1	80 W <sup>1)</sup>	12,0 V	80,00 W
COOL BLUE BOOST $\pm$ H4	62193CBB	Halogenowe źródła światła	Off-road $\pm$ H4	75 / 68 W <sup>1)</sup>	12,0 V	100/90 W
COOL BLUE BOOST $\pm$ H7	62210CBB	Halogenowe źródła światła	Off-road $\pm$ H7	73 W <sup>1)</sup>	12,0 V	80,00 W
COOL BLUE BOOST $\pm$ H11	62211CBB	Halogenowe źródła światła	Off-road $\pm$ H11	75 W <sup>1)</sup>	12,0 V	75,00 W

Opis produktu	Napięcie probiercze (pomiarowe)	Dane fotometryczne		Wymiary i waga	Trwałość		Możliwości
		Strumień świetlny	Strumień świetlny, tolerancja	Średnica	Trwałość B3	Trwałość Tc	Technologia
COOL BLUE BOOST $\pm$ H1	13,2 V	1150 lm	$\pm 15$ %	8,5 mm	200 h	400 h	HAL <sup>2)</sup>
COOL BLUE BOOST $\pm$ H4	13,2 V	1600/760 lm	$\pm 15$ / $\pm 15$ %	17,0 mm	100 / 200 h	200 / 400 h	HAL <sup>2)</sup>
COOL BLUE BOOST $\pm$ H7	13,2 V	1000 lm	$\pm 15$ %	10,7 mm	200 h	400 h	HAL <sup>2)</sup>
COOL BLUE BOOST $\pm$ H11	13,2 V	1000 lm	$\pm 15$ %	12,0 mm	200 h	400 h	HAL <sup>2)</sup>

Opis produktu	Certyfikaty i Normy	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Kategoria ECE	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
COOL BLUE BOOST $\pm$ H1	-	19-01-2022	4052899436930   4052899436695   4052899437678   4052899439009   4052899439764	No declarable substances contained
COOL BLUE BOOST $\pm$ H4	-	19-01-2022	4052899437296   4052899437654   4052899439023   4052899439788   4052899436671	No declarable substances contained
COOL BLUE BOOST $\pm$ H7	-	19-01-2022	4052899437333   4052899437692   4052899437371   4052899439047   4052899439801	No declarable substances contained

## Karta katalogowa rodziny produktów

Opis produktu	Certyfikaty i Normy	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Kategoria ECE	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
COOL BLUE BOOST $\triangleq$ H11	-	19-01-2022	4052899437395   4052899437357   4052899437715   4052899439085   4052899439849	No declarable substances contained







Opis produktu	Declaration No. in SCIP database
COOL BLUE BOOST $\triangleq$ H1	In work
COOL BLUE BOOST $\triangleq$ H4	In work
COOL BLUE BOOST $\triangleq$ H7	In work
COOL BLUE BOOST $\triangleq$ H11	In work

1) Maksimum

2) Halogen lamp

## Karta katalogowa rodziny produktów

Pobierz dane

Plik	
	Broszury Flyer Cool Blue Boost (EN)
	Broszury Flyer Cool Blue Boost Jeep Version (EN)
	360 Degree Image COOL BLUE BOOST H1 62150CBB
	360 Degree Image COOL BLUE BOOST H4 62193CBB
	360 Degree Image COOL BLUE BOOST H7 62210CBB
	360 Degree Image COOL BLUE BOOST H11 62211CBB

### Informacje prawne

\*These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

### Wskazówki dotyczące zastosowania

Więcej szczegółowych informacji dotyczących grafik i zastosowania znajduje się w karcie katalogowej produktu

### Oświadczenie

Zastrzega się możliwość zmian bez uprzedzenia. Błędy i ominięcia są możliwe. Należy zawsze upewnić się czy korzystasz z najnowszej wersji katalogu.

