

Karta katalogowa produktu

P RF CLAS A DIM 7 W/840 E27

PARATHOM Retrofit CLASSIC A DIM | Lampy LED z możliwością regulacji w kształcie klasycznej żarówki



- Perfect for decorative installations Domestic applications
General illumination Outdoor use in outdoor luminaires
only (minimum IP65)

- Design, dimensions, luminous flux comparable to an incandescent or halogen lamp Very low energy consumption Robust against vibrations No UV and near-IR radiation in the light beam Instant 100 % light, no warm-up time No UV and near-IR radiation in the light beam Can be easily fitted instead of ordinary light bulbs



Karta katalogowa produktu

Dane techniczne

Dane elektryczne

ZLDV_Rated wattage [AGGR]	7.00 W
ZLDV_Nominal wattage [AGGR]	7.00 W
ZLDV_Nominal voltage [AGGR]	220...240 V
ZLDV_Operating frequency [AGGR]	50...60 Hz
ZLDV_Max. lamp no. on circuit break. 10 A (B) [AGGR]	80
ZLDV_Max. lamp no. on circuit break. 16 A (B) [AGGR]	120
ZLDV_Nominal current [AGGR]	0.044 A
ZLDV_Claimed equiv. conventional lamp power [AGGR]	60 W


Dane fotometryczne

ZLDV_Nominal luminous flux [AGGR]	806 lm
ZLDV_Rated luminous flux [AGGR]	806 lm
ZLDV_Rated color temperature [AGGR]	4000 K
ZLDV_Color rendering index Ra [AGGR]	≥80
ZLDV_Light color (designation) [AGGR]	Cool White
ZLDV_Standard deviation of color matching [AGGR]	≤6 sdcn
ZLDV_Color temperature [AGGR]	4000 K
ZLDV_Luminous flux [AGGR]	806 lm
ZLDV_Lumen main.fact.at end of nom.life time [AGGR]	0.70

Dane świetlne

ZLDV_Beam angle [AGGR]	320.00 °
ZLDV_Starting time [AGGR]	< 0.5 s

Wymiary i waga



ZLDV_Overall length [AGGR]	105.0 mm
----------------------------	----------

Karta katalogowa produktu

ZLDV_Diameter [AGGR]	60.0 mm
ZLDV_Outer bulb [AGGR]	A60
ZLDV_Product weight [AGGR]	32.00 g
ZLDV_Length [AGGR]	105.0 mm

Temperatury i warunki pracy

ZLDV_Ambient temperature range [AGGR]	-20...+40 °C
---------------------------------------	--------------

Trwałość

ZLDV_Nominal lamp life time [AGGR]	15000 h
ZLDV_Rated lamp life time LEDr [AGGR]	15000 h
ZLDV_Number of switching cycles [AGGR]	100000
ZLDV_Lumen maintenance at end of service life [AGGR]	0.70

Dodatkowe dane produktu

ZLDV_Base (standard designation) [AGGR]	E27
ZLDV_Mercury content [AGGR]	0.0 mg
ZLDV_Mercury-free [AGGR]	Yes
ZLDV_Design / version [AGGR]	Frosted
Zgodnie z Dyrektywą WEEE	Tak
Produkt zastępczy EAN	4058075590830
ZLDV_Product remark [AGGR]	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value/LED lamps contain several electronic components. Under unfavourable conditions these can lead to acoustic noise. In case of resonance even low noise can cause audible effect. Possible factors influencing this are the installation, the design of the lamp holder and the luminaire (acoustic resonance effect) as well as the dimmer or the transformer (harmonics or electronic resonance)
Produkt zastępczy EAN	4058075438958

Możliwości

ZLDV_Dimmable [AGGR]	Yes
----------------------	-----

Certyfikaty i Normy

ZLDV_Energy efficiency class [AGGR]	E
ZLDV_Energy consumption [AGGR]	7 kWh/1000h

Karta katalogowa produktu

ZLDV_Type of protection [AGGR]	IP20
--------------------------------	------

Kraj - specyficzna kategoryzacja

ZLDV_Order reference [AGGR]	LEDPCLA60D 7W/8
-----------------------------	-----------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075438958 4058075590830
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Dane logistyczne

Kod produktu	Opis produktu	Opakowanie (liczba produktów / opakowanie)	Wymiary (długość x szerokość x wysokość)	Objętość	Waga brutto
4058075590830	P RF CLAS A DIM 7 W/840 E27	Karton wysylkowy 10 Pieces Składane pudełko	315 mm x 131 mm x 126 mm	5.20 dm ³	553.00 g

Wymieniony kod produktu oznacza najmniejszą ilość produktu, jaka może być zamówiona. Jednostka transportowa może zawierać jedną sztukę lub więcej. Składając zamówienie prosimy o zamawianie ilości odpowiadających jednej lub wielokrotności jednostki transportowej.

Oświadczenie

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany