

Karta katalogowa produktu

P R F CLAS A DIM 5 W/827 E27

PARATHOM Retrofit CLASSIC A DIM | Lampy LED z możliwością regulacji w kształcie klasycznej żarówki



- Perfect for decorative installations Domestic applications
General illumination Outdoor use in outdoor luminaires
only (minimum IP65)

- Design, dimensions, luminous flux comparable to an incandescent or halogen lamp Very low energy consumption Robust against vibrations No UV and near-IR radiation in the light beam Instant 100 % light, no warm-up time No UV and near-IR radiation in the light beam Can be easily fitted instead of ordinary light bulbs



Karta katalogowa produktu

Dane techniczne

Dane elektryczne

ZLDV_Operating frequency [AGGR]	50...60 Hz
ZLDV_Nominal current [AGGR]	25 mA
ZLDV_Claimed equiv. conventional lamp power [AGGR]	40 W


Dane fotometryczne

ZLDV_Light color (designation) [AGGR]	Warm White
ZLDV_Luminous flux [AGGR]	470 lm

Dane świetlne

ZLDV_Beam angle [AGGR]	320 °
------------------------	-------

Wymiary i waga



ZLDV_Overall length [AGGR]	105.00 mm
ZLDV_Product weight [AGGR]	32.00 g

Temperatury i warunki pracy

ZLDV_Ambient temperature range [AGGR]	-20...+40 °C
---------------------------------------	--------------

Trwałość

ZLDV_Lumen maintenance at end of service life [AGGR]	0.7
--	-----

Dodatkowe dane produktu

ZLDV_Mercury content [AGGR]	0.0 mg
ZLDV_Mercury-free [AGGR]	Yes
ZLDV_Design / version [AGGR]	Frosted
Zgodnie z Dyrektywą WEEE	Tak

Karta katalogowa produktu

Produkt zastępczy EAN	4058075591158
ZLDV_Product remark [AGGR]	All technical parameters apply to the entire lamp Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value LED lamps contain several electronic components. Under unfavourable conditions these can lead to acoustic noise. In case of resonance even low noise can cause audible effect. Possible factors influencing this are the installation, the design of the lamp holder and the luminaire (acoustic resonance effect) as well as the dimmer or the transformer (harmonics or electronic resonance)
Produkt zastępczy EAN	4058075287303, 4058075439276

Certyfikaty i Normy

ZLDV_Energy efficiency class [AGGR]	F
ZLDV_Energy consumption [AGGR]	5.00 kWh/1000h

Kraj - specyficzna kategoryzacja

ZLDV_ILCOS [AGGR]	DRAA/F-4/827-220-240-E27-60
-------------------	-----------------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075439276 4058075591158
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Dane logistyczne

Kod produktu	Opis produktu	Opakowanie (liczba produktów / opakowanie)	Wymiary (długość x szerokość x wysokość)	Objętość	Waga brutto
4058075591158	P RF CLAS A DIM 5 W/827 E27	Karton wysylkowy 10 Pieces Składane pudełko	315 mm x 131 mm x 126 mm	5.20 dm ³	554.00 g

Karta katalogowa produktu

Wymieniony kod produktu oznacza najmniejszą ilość produktu, jaka może być zamówiona. Jednostka transportowa może zawierać jedną sztukę lub więcej. Składając zamówienie prosimy o zamawianie ilości odpowiadających jednej lub wielokrotności jednostki transportowej.

Oświadczenie

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany