

LINEARlight Rigid FINESSE – Accessories



Korzyści ze stosowania produktu

- Large set of accessories for installation
- Recessed kit for installation on false ceiling
- Wall arms for holding fixture in place
- Metal clip for surface installation
- Kit for pendant installation
- Indoor and outdoor jumper for daisy chain connection
- Indoor and outdoor power cable: 5 m
- Outdoor male and female terminals for ad hoc cabling




Karta katalogowa rodziny produktów

Dane techniczne

Opis produktu	Dane elektryczne	Wymiary i waga				Dane logistyczne
	Rodzaj prądu	Masa produktu	Długość	Szerokość	Wysokość	Kod taryfy celnej
LR FINESSE DIY M/F IP68	DC	8500 g	54 mm	14 mm	140 mm	85366990990
LR FINESSE IN CABLE 5m IP54	DC	326,00 g	5038 mm	12,5 mm	9,0 mm	85444290900
LR FINESSE IN CABLE 5m IP68	DC	447,00 g	5108 mm	14 mm	14,0 mm	85444290900
LR FINESSE JUMPER 0.5m IP68	DC	27400 g	608 mm	14 mm	140 mm	85444290900
LR FINESSE JUMPER 1m IP54	DC	72,00 g	1079 mm	12,5 mm	9,0 mm	85444290900
LR FINESSE RECESSED KIT	DC	36000 g	1600 mm	62 mm	32 mm	73269098900
LR FINESSE SUSPENSION KIT	DC	8000 g	3000 mm	120 mm	120 mm	888888888888
LR FINESSE WALL ARMS	DC	30000 g	320 mm	250 mm	54 mm	73269098900
LR FINESSE METAL CLIP	DC	500 g	30 mm	200 mm	130 mm	73269098900
LR FINESSE BAFFLE 620	DC	16850 g	620 mm	230 mm	568 mm	73269098900
LR FINESSE BAFFLE 920	DC	24050 g	920 mm	230 mm	568 mm	73269098900

Opis produktu	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
LR FINESSE DIY M/F IP68	25-04-2022	4052899618169	No declarable substances contained	No declarable substances contained
LR FINESSE IN CABLE 5m IP54	19-01-2022	4052899618121	No declarable substances contained	No declarable substances contained
LR FINESSE IN CABLE 5m IP68	25-04-2022	4052899618138	No declarable substances contained	No declarable substances contained
LR FINESSE JUMPER 0.5m IP68	25-04-2022	4052899618152	No declarable substances contained	No declarable substances contained
LR FINESSE JUMPER 1m IP54	19-01-2022	4052899618145	No declarable substances contained	No declarable substances contained
LR FINESSE RECESSED KIT	25-04-2022	4052899618091	No declarable substances contained	No declarable substances contained
LR FINESSE SUSPENSION KIT	25-04-2022	4062172114493	No declarable substances contained	No declarable substances contained
LR FINESSE WALL ARMS	25-04-2022	4052899618084	No declarable substances contained	No declarable substances contained
LR FINESSE METAL CLIP	19-01-2022	4052899618107		In work
LR FINESSE BAFFLE 620	25-04-2022	4062172197274	No declarable substances contained	No declarable substances contained
LR FINESSE BAFFLE 920	25-04-2022	4062172197298	No declarable substances contained	No declarable substances contained


Karta katalogowa rodziny produktów




LR FINESSE DIY MF DRAW 171219



LR FINESSE DIY MF DRAW 171219



LR FINESSE IN CABLE 5M IP54 DRAW 171219




LR FINESSE IN CABLE 5M IP54 DRAW 171219



LR FINESSE IN CABLE 5M IP68 DRAW 171219




LR FINESSE IN CABLE 5M IP68 DRAW 171219




LR FINESSE JUMPER 0.5M IP68 DRAW 171219




LR FINESSE JUMPER 0.5M IP68 DRAW 171219




LR FINESSE IN JUMPER 1M IP54 DRAW 171219




LR FINESSE IN JUMPER 1M IP54 DRAW 171219



LR FINESSE RECESSED KIT DRAW 290120




LR FINESSE RECESSED KIT DRAW 290120




LR FINESSE SUSPENSION KIT DRAW 171219




LR FINESSE SUSPENSION KIT DRAW 171219




LR FINESSE Wall Arms DRAW 171219



LR FINESSE Wall Arms DRAW 171219




LR FINESSE Metal Clip




LR FINESSE Metal Clip


Karta katalogowa rodziny produktów




LR FINESSE BAFFLE 620 Line Drawing



LR FINESSE BAFFLE 620 Line Drawing



LR FINESSE BAFFLE 920 Line Drawing



LR FINESSE BAFFLE 920 Line Drawing

Wskazówki dotyczące zastosowania

Więcej szczegółowych informacji dotyczących grafik i zastosowania znajduje się w karcie katalogowej produktu

Sprzedaż i pomoc techniczna

Sprzedaż i pomoc techniczna www.osram.com

Pobierz dane

Plik	
	User instruction FINESSE
	User instruction FINESSE Recessed Kit

Ecodesign regulation information:

- This product is considered to be a "containing product" in the sense of Regulations (EU) 2019/2020 and (EU) 2019/2015.
- Tolerances of the reported values, are according to LED Modules Performance standard IEC/EN 62717.
- In general, the replacement of the contained light sources without permanent damage to the product with the use of common available tools is possible in the final application when they can be dismantled from the installation environment and substituted for the necessary number of light sources restoring its full electrical/mechanical/thermal/optical functionality by means of a professional installer. In the contrary, and limited to the LINEARlight Flex Diffuse, LINEARlight Rigid Finesse, GINO LED Flex Diffuse and LUMINENT Milky product families, the contained light source is an integrated part of the containing product and its removal can only be done by causing a permanent damage to the containing product due to its tight mechanical, electrical, optical, thermal interaction and/or environmental protection with or from the containing product. Therefore, a replacement of the light source with the use of common available tools is not justified.
- Dismantling of light sources from containing products at end of life: Containing products with light sources which are scalable in length can be cut to the length of the contained light source and if applicable mechanically detached from protective and/or optical covers. Containing products shall be separated from building material and/or from other additional mounting accessories by means of a professional installer. Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Dane logistyczne

Kod produktu	Opis produktu	Opakowanie (liczba produktów / opakowanie)	Wymiary (długość x szerokość x wysokość)	Objętość	Waga brutto
4052899618169	LR FINESSE DIY M/F IP68	Karton wysyłkowy 10	200 mm x 200 mm x 100 mm	4.00 dm ³	1010.00 g
4052899618121	LR FINESSE IN CABLE 5m IP54	Karton wysyłkowy 4	230 mm x 130 mm x 160 mm	4.78 dm ³	2004.00 g
4052899618138	LR FINESSE IN CABLE 5m IP68	Karton wysyłkowy 4	290 mm x 190 mm x 160 mm	8.82 dm ³	2060.00 g
4052899618152	LR FINESSE JUMPER 0.5m IP68	Karton wysyłkowy 4	200 mm x 200 mm x 100 mm	4.00 dm ³	1220.00 g
4052899618145	LR FINESSE JUMPER 1m IP54	Karton wysyłkowy 4	230 mm x 130 mm x 160 mm	4.78 dm ³	988.00 g
4052899618091	LR FINESSE RECESSED KIT	Karton wysyłkowy 5	1652 mm x 192 mm x 37 mm	11.74 dm ³	2160.00 g
4062172114493	LR FINESSE SUSPENSION KIT	Karton wysyłkowy 30	300 mm x 200 mm x 200 mm	12.00 dm ³	2642.00 g
4052899618084	LR FINESSE WALL ARMS	Karton wysyłkowy 2	62 mm x 327 mm x 32 mm	0.65 dm ³	670.00 g
4052899618107	LR FINESSE METAL CLIP	Karton wysyłkowy 100	180 mm x 130 mm x 120 mm	2.81 dm ³	580.00 g
4062172197274	LR FINESSE BAFFLE 620	Karton wysyłkowy 5	665 mm x 94 mm x 84 mm	5.25 dm ³	983.00 g
4062172197298	LR FINESSE BAFFLE 920	Karton wysyłkowy 5	964 mm x 94 mm x 84 mm	7.61 dm ³	1393.00 g

Karta katalogowa rodziny produktów

Dane logistyczne

Wymieniony kod produktu oznacza najmniejszą ilość produktu, jaka może być zamówiona. Jednostka transportowa może zawierać jedną sztukę lub więcej. Składając zamówienie prosimy o zamawianie ilości odpowiadających jednej lub wielokrotności jednostki transportowej.

Oświadczenie

Zastrzega się możliwość zmian bez uprzedzenia. Błędy i ominięcia są możliwe. Należy zawsze upewnić się czy korzystasz z najnowszej wersji katalogu.