
## **OSRAM**

# LEDinspect UTILITY1000

### Inspectionlights





**Multi-Functional Lamp** 

High flexibility and diverse adjustment possibilities. Up to 180° ratcheting bases and up to 360° rotating body.



1000 lm

2 light functions: Up to 1000lm-high Up to 400lmlow For individually adjustable light settings



Magnetic Base & Rotatable Hook

Versatile mounting options



2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

### Light is versatile

Designed with versatility in mind, the UTILITY 1000 combines magnetic, 180° ratcheting base with a 360° rotating body. This means the inspectionlight can be used either freestanding or hands-free, positioned in any number of ways to ensure the work area is properly illuminated. With two light functions - high with up to 1000lm and low with up to 400lm - it produces a light output that can be matched to the task at hand.

This inspection light is ideal as a light for manual work, car repairs and everyday use. OSRAM also provides a 2-year guarantee on this product\* Charging cable and mains

### Product family datasheet



charger included.

### Product family datasheet

### Technical data

	Product information			Electrical Data		
Product description	Application (Category and Product specific)			Nominal wattage		Nominal voltage
INSPECTION LAMP	LED inspection lights	LEDIL407		19 W		7.4 V
	Photometric Data				Physica Dimen	al Attributes & sions
Product description	Color temperature	Nominal luminous flux		Light color LED	Product weight	
INSPECTION LAMP	6500 K	1000 lm Wh		White	490.00 g	
						LED module information
Product description	Length	Width		Height		Number of LEDs per module
INSPECTION LAMP	500.0 mm	41.0 mm		48.0 mm		1
	Colors & materials	Lifetime Data	Additional product data			
Product description	Base color	Guarantee	Type of Battery		Number of included batteries	
INSPECTION LAMP	Black / Orange	2 years	Recharg	geable 1		
		Capabilities	Certificates & standards		Logistical data	
Product description	Scope of battery	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Yes	LED	IK07		9.62	
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Product description	Candidate list substance 1	CAS No. of su	. of substance Safe us		uction	Declaration no. in SCIP database
INSPECTION LAMP	Lead 7439-92-1			The identification of the Candidate List substance is sufficient to allow safe use of the article.		12140b2a-ec70- 4b9c-9c15- 9b33a359d5fe

### Product family datasheet

### Download Data

#### File



User instruction

LEDinspect UTILITY 1000 LEDIL407



User instruction

GPRS\_Safety symbols instructions

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.