

LEDDriving HL VINTAGE H4/R2/H19

LEDDriving high and low beam lamps



Warm White color temperature of 2,700 K

The precise halogen-like color temperature creates a perfect stylish old-fashioned look for your car



Do +300% jaśniejsze światło

Better visibility thanks to high lumen output: more light allows to see farther and therefore react sooner. Compared to minimum ECE R112 for H4/R2/H19.



4-letnia gwarancja OSRAM

Dokładne warunki można znaleźć na stronie www.osram.pl/am-gwarancje



High-performing LED retrofit lamp providing improved visibility even for old-designed and aged headlights

With up to +300% more brightness¹⁾, the OSRAM LEDDriving HL Vintage retrofit lamp ensures optimum visibility and thus allowing drivers to recognize, obstacles and hazards sooner than conventional lamps. This LED retrofit lamp not only creates a stylish old fashioned look with a warm white color temperature of 2,700K but also offers reduced glaring thanks to an optimized light distribution thus avoids blinding other drivers on the racetrack. The lamps result in very stable electric behaviour even when installed on old electric circuits. Premium OSRAM quality and LED technology grant up to 5 times more lifetime (compared to traditional halogen bulbs). The pair of lamps comes with a 4-year OSRAM guarantee²⁾.

The LEDriving HL Vintage high and low beam lamps by OSRAM replace conventional halogen lamps and are 12V compatible. With the latest LED technology and very compact design, these lamps allow a high compatibility and an easy installation for cars with the respective halogen lamp types. Drivers can enjoy the advantages of the LED technology without high temperature, without UV emission, lower current absorption and longer lifetime in the headlights and with no impact on the old timer's aesthetics.

1) compared to ECE R112, for R2/H4/H19

2) For precise guarantee conditions please refer to www.osram.com/am-guarantee

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Karta katalogowa rodziny produktów

Dane techniczne

Opis produktu	Informacje o produkcie		Ogólne informacje o produkcie	Dane elektryczne	
	Typ produktu (on-road lub off-road)	Zastosowanie (specyfikacja produktu)	Oznaczenie produktu	Moc wejściowa	Napięcie nominalne
LEDDriving HL VINTAGE ≙ H4/R2/H19	Off-road ≙ H4/R2/H19	Mainly used for Low Beam, High Beam and Fog light applications	64193DWVNT	14/14 W	12 V

Opis produktu	Moc znamionowa	Napięcie probiercze (pomiarowe)	Dane fotometryczne		Physical Attributes & Dimensions
			Strumień świetlny	Strumień świetlny, tolerancja	Średnica
LEDDriving HL VINTAGE ≙ H4/R2/H19	15 W	13,2 V	1400/1100 lm	±20 %	14.0 mm

Opis produktu	Średnica	Trwałość	Możliwości	Informacje dotyczące środowiska i regulacji Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		Trwałość Tc	Technologia	Podstawowy identyfikator artykułu	Substancja z listy kandydackiej 1
LEDDriving HL VINTAGE ≙ H4/R2/H19	14.0 mm	5000 hr	LED	4062172384834	Lead

Opis produktu	Numer CAS substancji 1	Instrukcja bezpiecznego stosowania	Numer deklaracji w bazie danych SCIP
LEDDriving HL VINTAGE ≙ H4/R2/H19	7439-92-1	Identyfikacja substancji z listy kandydackiej jest wystarczająca, aby umożliwić bezpieczne stosowanie artykułu.	d3e9f6a3-2517-478d-97f1-7c392ab5a666

Pobierz dane

Plik	
	User instruction GPRS_Informacje dotyczące symboli bezpieczeństwa
	User instruction LEDriving HL VINTAGE
	Brochures LEDriving Retrofits - Exchange overview (EN)

Wskazówki dotyczące zastosowania

Więcej szczegółowych informacji dotyczących grafik i zastosowania znajduje się w karcie katalogowej produktu

Oświadczenie

Zastrzega się możliwość zmian bez uprzedzenia. Błędy i ominięcia są możliwe. Należy zawsze upewnić się czy korzystasz z najnowszej wersji katalogu.